

Proposal Full Title: **Taking Nanotechnological Remediation Processes from Lab Scale to End User Applications for the Restoration of a Clean Environment**

Proposal Acronym: **NANOREM**

Type of funding Scheme: Collaborative Project  
(Large-scale integrating collaborative projects)

Work Program Topics Addressed: Seventh Framework Programme  
Theme 4: Nanosciences, Nanotechnologies, Materials and new Production Technologies - NMP  
Nanotechnology solutions for in-situ soil and groundwater remediation  
NMP.2012.1.2-1

Name of Coordinating Person: **Hans-Peter Koschitzky**

## List of References

## List of References NANOREM

- ADVENTUS (2010): Review of Observatory NANO Focus Report 2010 "Nano zero valent iron - THE solution for water and soil remediation?" [Online] Available at:  
[http://www.adventusgroup.com/pdfs/competitive/nZVI\\_rebuttal\\_article\\_AUG2010.pdf](http://www.adventusgroup.com/pdfs/competitive/nZVI_rebuttal_article_AUG2010.pdf)
- Auffan M, Achouak W, Rose J, Roncato M-A, Chaneac C, Waite D T, Masion A, Woicik J C, Wiesner M R and Bottero J-Y (2008): Relation between the Redox State of Iron-Based Nanoparticles and Their Cytotoxicity toward Escherichia coli. Environ. Sci. Technol. 42, 6730-6735.
- Auset, M.; Keller, A.A. (2004): Pore-scale processes that control dispersion of colloids in saturated porous media. Water Resources Research 2004, 40(3).
- Bardos, P., Bone, B., Elliott, D., Hartog, N., Henstock, J. and Nathanail, P. (2011): Risk/benefit approach to the application of iron nanoparticles for the remediation of contaminated sites in the environment - CB0440. Report for the Department of Environment, Food and Rural Affairs.  
<http://randd.defra.gov.uk/Default.aspx?Menu=Menu&Module=More&Location=None&Completed=0&ProjectID=17502>
- Barnes R J, van der Gast C J, Riba O, Lehtovirta L E, Prosser J I, Dobson P J and Thompson I P (2010): The impact of zero-valent iron nanoparticles on a river water bacterial community. Journal of Hazardous Materials 184, 73–80.
- Baun A, Jensen S D, Bjerg P L, Christensen T H and Nyholm N (2000): Toxicity of organic chemical pollution in groundwater downgradient of a landfill (Grindsted, Denmark). Environ. Sci. Technol. 34, 1647-1652.
- Baun A, Reitzel L A, Ledin A, Bjerg P L and Christensen T H (2003): Natural attenuation of xenobiotic organic compounds in a landfill leachate plume (Vejen, Denmark). J. Contam. Hydrol. 65, 269-291.
- Bradford, S.A., Simunek, J., Bettahar, M., Van Genuchten, M.T., Yates, S.R. (2003): Modeling colloid attachment, straining, and exclusion in saturated porous media Environmental Science and Technology 37 (10), pp. 2242-2250
- Bradford, S.A.; Simunek, J.; Bettahar, M.; van Genuchten, M.T.; Yates, S.R. (2006): Significance of straining in colloid deposition: Evidence and implications. Water Resources Research 2006, 42(12).
- Bundesamt fuer Umwelt (2010): Natuerliche Ressourcen in der Schweiz. Umwelt. Nanotechnologie 3/2010 pp20-30.
- Cao J, Elliott D, Zhang W (2005): Perchlorate reduction by nanoscale iron particles. Journal of Nanoparticle Research 7: 499-506.
- Cernik M (Editor), (2010): Chemicky podporovane in situ sanacni technologie (Chemically supported in situ remedial technologies). VSCHT Praha, ISBN 978-80-7080-767-5, Praha.
- Christian Macé, Ch., Desrocher, S., Gheorghiu, F., Kane, A., Pupeza, M., Cernik, M., Kvapil, P., Venkatakrishnan, R., Zhang, W-X.: (2006): Nanotechnology and Groundwater Remediation - A Step Forward in Technology Understanding, Remediation 16(2): 23, 2006.
- CL:AIRE. (2010): A decade of change for UK's land use: Economic growth through sustainable regeneration. Public Consultation, March 2010 . CL:AIRE, London, UK. <http://www.claire.co.uk>
- Dalla Vecchia, E.; Luna, M.; Sethi, R. (2009): Transport in Porous Media of Highly Concentrated Iron Micro- and Nanoparticles in the Presence of Xanthan Gum. Environmental Science & Technology 2009, 43(23), 8942-8947.
- Defra (2011): Risk/benefit approach to the application of iron NPs for the remediation of contaminated sites in the environment - CB0440. Report to Department of Environment, Food and Rural Affairs. (Bardos, P., Bone, B., Elliott, D., Hartog, N., Henstock, J. and Nathanail, P.  
<http://randd.defra.gov.uk/Default.aspx?Menu=Menu&Module=More&Location=None&Completed=0&ProjectID=17502>
- Derek R. Lovley and Robert T. Anderson, HYDROGEOLOGY JOURNAL, Volume 8, Number 1, 77-88, DOI: 10.1007/PL00010974
- Diao M and Yao M (2009): Use of zero-valent iron nanoparticles in inactivating microbes. Water Res. 43, 5243–5251.
- DNR - German League for Nature and Environment and EEB - European Environmental Bureau (2011): Soil: worth standing your ground for. Arguments for the Soil Framework Directive. EEB, Brussels.  
[www.eeb.org/EEB/?LinkServID=1D2DA6F8-B28F-78BB-6E212DDC63EE80E7](http://www.eeb.org/EEB/?LinkServID=1D2DA6F8-B28F-78BB-6E212DDC63EE80E7)
- Dries J, Bastiaens L, Springael D, Agathos S, Diels L (2005): Combined removal of chlorinated ethenes and heavy metals by zerovalent iron in batch and continuous flow column systems Environ. Sci. Technol. 39: 8460-8465.
- Elimelech, M., O'Melia, C.R., (1990): Kinetics of deposition of colloidal particles in porous media. Environmental Science & Technology 24, 1528-1536.
- El-Temseh Y S and Joner E J (2011): Impact of Fe and Ag nanoparticles on seed germination and differences in bioavailability during exposure in aqueous suspension and soil. Environmental Toxicology In press.

- Emmanuel, S.; Berkowitz, B. (2005): Mixing-induced precipitation and porosity evolution in porous media. *Advances in Water Resources* 2005, 28(4), 337-344.
- Ernst and Young (2006): Eco-industry, its size, employment, perspectives and barriers to growth in an enlarged EU. Final Report for the European Commission DG Environment, September 2006:  
[http://ec.europa.eu/environment/enveco/eco\\_industry/pdf/economy2006.pdf](http://ec.europa.eu/environment/enveco/eco_industry/pdf/economy2006.pdf)
- European Commission (2009): Nanosciences and Nanotechnologies: An action plan for Europe 2005-2009. Second Implementation Report 2007-2009. Brussels, 29.10.2009, COM(2009)607 final:  
<http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=COM:2009:0607:FIN:EN:PDF>
- European Commission (2009): Report on the European Commission's Public Online Consultation: Towards a Strategic Nanotechnology Action Plan (SNAP) 2010-2015, [http://ec.europa.eu/research/consultations/snap/report\\_en.pdf](http://ec.europa.eu/research/consultations/snap/report_en.pdf)
- European Commission (2011): Roadmap to a Resource Efficient Europe. Brussels, 20.9.2011, COM(2011) 571 final:  
[http://ec.europa.eu/environment/resource\\_efficiency/pdf/com2011\\_571.pdf](http://ec.europa.eu/environment/resource_efficiency/pdf/com2011_571.pdf)
- European Environment Agency. (2007): European Environment Agency (2007): Progress in management of contaminated sites (CSI 015) - Assessment published on line August 2007.  
[http://themes.eea.europa.eu/IMS/IMS/ISpecs/ISpecification20041007131746/IAssessment1152619898983/view\\_content](http://themes.eea.europa.eu/IMS/IMS/ISpecs/ISpecification20041007131746/IAssessment1152619898983/view_content)
- Filip, J., Zbořil, R., Schneeweiss, O., Zeman, J., Černík, M., Kvapil, P., Otýpka, M. (2007): Environmental Applications of Chemically Pure Natural Ferrihydrite, *Environ. Sci. Technol.*, 41: 4367-4374, 2007.
- Firouzabadi A.; Mohajer D.; Moghaddam M.E., (1986): Barium ferrate monohydrate BaFeO<sub>4</sub>·H<sub>2</sub>O, a versatile reagent for oxidation of organic compounds under aprotic condition, *Synth. Commun.*, 16, 1986, 723-731.
- Gao, H.; Han, J.; Jin, Y.; Wang, L.P. (2008): Modelling microscale flow and colloid transport in saturated porous media. *International Journal of Computational Fluid Dynamics* 2008, 22(7), 493-505.
- Gargiulo, G.; Bradford, S.A.; Simunek, J.; Ustohal, P.; Vereecken, H.; Klumpp, E. (2007): Transport and deposition of metabolically active and stationary phase *Deinococcus radiodurans* in unsaturated porous media. *Environmental Science & Technology* 2007, 41(4), 1265-1271.
- Geng, B.; Jin, Z.; Li, Z.; Qi, X., (2009): Preparation of chitosan-stabilized FeO nanoparticles for removal of hexavalent chromium in water. *Sci. Total Environ.* 401, 4994 – 5000.
- Georgi, A., Gonzalez-Olmos, R., Kohler, R., Kopinke, F.D., (2010): Fe-Zeolites as catalysts for wet peroxide oxidation of organic groundwater contaminants: Mechanistic studies and applicability tests. *Separ. Sci. Technol.* 45, 2010, 1579-1586.
- Georgi, A.; Schierz, A.; Kopinke, F.-D. (2011): Colloidal activated carbon for in-situ groundwater remediation – Suspension stability and transport characteristics in water-saturated sediment columns, *J. Contam. Hydrol.*, 2011, submitted.
- Ghauch, A.; Tuqan, A.; Assi, H.A. (2009): Antibiotic removal from water: Elimination of amoxicillin and ampicillin by microscale and nanoscale iron particles. *Environ. Pollut.* 2009, 157, 1626 – 1635.
- Gonzalez-Olmos, R., Roland, U., Toufar, H., Kopinke, F.D., Georgi, A. (2009): Fe-zeolites as catalysts for chemical oxidation of MTBE in water with H<sub>2</sub>O<sub>2</sub>. *Appl. Catal. B*, 89, 2009, 356-364.
- Gouvernement Du Quebec (2006): Ethics and Nanotechnology: A Basis for Action, Position Statement at Commission de L'éthique de la Science et de la Technologie, National Library of Canada, Québec.
- Grieger K D, Fjordbøge A, Hartmann N B, Eriksson E, Bjerg P L and Baun A (2010): Environmental benefits and risks of zero-valent iron nanoparticles (nZVI) for in situ remediation: Risk mitigation or trade-off? *Journal of Contaminant Hydrology* 118, 165-183.
- Grieger K D, Hansen S F, Sørensen P B and Baun A (2011): Conceptual modeling for identification of worst case conditions in environmental risk assessment of nanomaterials using nZVI and C60 as case studies. *Science of the Total Environment* 409, 4109-4124.
- Grolimund, D.; Borkovec, (2006): M. Release of colloidal particles in natural porous media by monovalent and divalent cations. *Journal of Contaminant Hydrology* 2006, 87(3-4), 155-175.
- He, F., Zhang, M., Qian, T., Zhao, D., (2009): Transport of carboxymethyl cellulose stabilized iron nanoparticles in porous media: Column experiments and modeling. *Journal of Colloid and Interface Science* 334, 96-102.
- He, F.; Zhao, D. (2007): Manipulating the size and dispersibility of zerovalent iron nanoparticles by use of carboxymethyl cellulose stabilizers. *Environ. Sci. Technol.* 2007, 41, 6216 – 6221.
- Hofmann T. and U. Schoettler (1998): Behavior of suspended and colloidal particles during artificial groundwater recharge. *Progress in Colloid and Polymer Science* 111: 184-188.

- Hofmann T., (1998): Kolloidale und suspendierte Partikel – Herkunft, Transport und Relevanz von mobilen Festphasen im Hinblick auf die künstliche Grundwasseranreicherung. Dissertation. Veröffentlichungen des Institutes für Wasserforschung GmbH Dortmund und der Dortmunder Energie und Wasserversorgung GmbH, Nr. 56.
- Jegadeesan G, Mondal K, Lalvani S (2005): Arsenate remediation using nanosized modified zerovalent iron particles. *Env. Prog.* 24: 289-296.
- Jiang, J.Q. (2007): Research progress in the use of ferrate(VI) for the environmental remediation, *J. Hazard. Mater.*, 146, 2007, 617-623.
- Johnson, W.P.; Li, X.Q.; Yal, G. (2007): Colloid retention in porous media: Mechanistic confirmation of wedging and retention in zones of flow stagnation. *Environmental Science & Technology* 2007, 41(4), 1279-1287.
- JRC (2007): Report from the Workshop on Nanotechnologies for Environmental Remediation. JRC Ispra 16-17 April 2007. David Rickerby and Mark Morrison: [www.nanowerk.com/nanotechnology/reports/reportpdf/report101.pdf](http://www.nanowerk.com/nanotechnology/reports/reportpdf/report101.pdf)
- JRC (2010): The European Environment State And Outlook 2010, Soil Contribution to SOER 2010, <http://eusoiils.jrc.ec.europa.eu/SOER2010/Docs/Soil.pdf>
- Kanel S, Greneche J, Choi H (2006): Arsenic(V) removal from groundwater using nano scale zero-valent iron as a colloidal reactive barrier material. *Environ. Sci. Technol.* 40: 2045-2050.
- Kanel S, Manning B, Charlet L, Choi H (2005): Removal of arsenic(III) from groundwater by nanoscale zero-valent iron. *Environ. Sci. Technol.* 39: 1291-1298.
- Karn B, Kuiken T, Otto M (2009): Nanotechnology and In situ Remediation: A Review of the Benefits and Potential Risks. *Environ. Health. Perspect.* 117: 1823-1831.
- Kim, H.-J.; Phenrat, T.; Tilton, R.D.; Lowry, G.V. (2009): Fe<sub>0</sub> Nanoparticles Remain Mobile in Porous Media after Aging Due to Slow Desorption of Polymeric Surface Modifiers. *Environ. Sci. Technol.* 2009, 43, 3824 – 3830.
- Klimkova S, Cernik M, Lacinova L, Nosek J (2008): Application of Nanoscale Zero-Valent Iron for Groundwater Remediation: Laboratory and Pilot Experiments. *NANO: Brief Reports and Reviews* 3: 287-289.
- Klimkova, S.; Cernik, M.; Lacinova, L.; Filip, J.; Jancik, D.; Zboril, R. (2011): Zero-valent iron nanoparticles in treatment of acid mine water from in situ uranium leaching, *Chemosphere*, 82(8), 1178-1184, 2011.
- Koschitzky H-P, Trötschler O, Heitmann T, Klaas N (2009): Durchführung eines Tracerversuchs zur Bestimmung der Fließverhältnisse zwischen Injektionsfeld und den CMT-Messstellen, ehemalige Großwäscherei Ferster / Bornheim-Roisdorf , Technischer Bericht Nr. VEG39, 2009/11. Institut für Wasserbau, Universität Stuttgart.
- Lee C, Kim J Y, Lee W I, Nelson K L, Yoon J and Sedlak D L (2008): Bactericidal Effect of Zero-Valent Iron Nanoparticles on *Escherichia coli*. *Environ Sci Technol* 42, 4927–4933.
- Liou Y, Lo S, Kuan W, Lin C, Weng S (2006): Effect of precursor concentration on the characteristics of nanoscale zerovalent iron and its reactivity of nitrate. *Water Res.* 40: 2485-2492.
- Lloyd, J.R. (2003): Microbial reduction of metals and radionuclides. *FEMS Microbiology Reviews* 27 411-425
- Lovley, D.R.; Anderson, R.T. (2000): Influence of dissimilatory metal reduction on fate of organic and metal contaminants in the subsurface, *Hydrogeol. J.*, 8, 2000, 77-88.
- Mackenzie K., Bleyl S., Kopinke F.-D. (2011): Carbo-Iron – an Fe/AC composite – as an alternative to nano-iron for groundwater treatment. *Water Res.* 2011; submitted.
- Mackenzie, K.; Hildebrand, H.; Kopinke, F.-D. (2007): Nano-catalysts and colloidal suspensions of Carbo-Iron for environmental application. *NSTI-Nanotech 2007*, [www.nsti.org](http://www.nsti.org), ISBN 1420061836, Vol. 2, 2007, 639-642.
- Manning B, Kiser J, Kwon H (2007): Spectroscopic investigation of Cr(III)- and Cr(VI)-treated nanoscale zerovalent iron. *Environ. Sci. Technol.* 4: 586-592.
- Mays, D.C.; Hunt, J.R. (2005): Hydrodynamic aspects of particle clogging in porous media. *Environmental Science & Technology* 2005, 39(2), 577-584.
- Mueller, N. C.; Braun, J.; Bruns, J.; Černík, M.; Rissing, P.; Rickerby, D. and Nowack, B. (2011): Application of nanoscale zero valent iron (NZVI) for groundwater remediation in Europe. *Environmental Science and Pollution Research*.
- Müller, N.C. and Nowack, B. (2010): Nano Zero Valent Iron – THE Solution for Water and Soil Remediation?’, *Observatory-NANO Focus Report*. Available at: [www.observatorynano.eu/project/filesystem/files/nZVI\\_final\\_vsObservatory.pdf](http://www.observatorynano.eu/project/filesystem/files/nZVI_final_vsObservatory.pdf)
- Nurmi, J, P Tratnyek, V.Sarathy, D. Baer, J. Amonette, K. Pecher, C. Wang, J. Linehan, D. Watson, R. Penn, and M. Driessen, (2005): Characterization and properties of Metallic Iron Nanoparticles: Spectroscopy, Electrochemistry and Kinetics. *Environ. Sci. Technol.* 39, 1221-1230

- Oliver, L., Ferber, U., Grimski, D., Millar, K. and Grimski, D. (2005): The Scale and Nature of European Brownfields. CABERNET Project paper: [www.cabernet.org.uk/resources/417.pdf](http://www.cabernet.org.uk/resources/417.pdf)
- OVAM (2006a): Injectie van (bi)metallisch nanoschaal ijzerpartikels in met chloorkoolwaterstoffen verontreinigde aquifers. Fase 1: Literatuurstudie stand van de techniek. Online available at: [www.ovam.be/jahia/Jahia/pid/5](http://www.ovam.be/jahia/Jahia/pid/5)
- OVAM (2006b): Injectie van (bi)metallisch nanoschaal ijzerpartikels in met chloorkoolwaterstoffen verontreinigde aquifers. Fase 2: Labotesten. Online available at: [www.ovam.be/jahia/Jahia/pid/5](http://www.ovam.be/jahia/Jahia/pid/5)
- Phenrat, T., Kim, H.-J., Fagerlund, F., Illangasekare, T., Tilton, R.D., Lowry, G.V. (2009): Particle Size Distribution, Concentration, and Magnetic Attraction Affect Transport of Polymer-Modified FeO Nanoparticles in Sand Columns. *Environmental Science & Technology* 43, 5079-5085.
- Phenrat, T., Song, J.E., Cisneros, C.M., Schoenfelder, D.P., Tilton, R.D., Lowry, G.V., (2010): Estimating Attachment of Nano- and Submicrometer-particles Coated with Organic Macromolecules in Porous Media: Development of an Empirical Model. *Environmental Science & Technology* 44, 4531-4538.
- Phenrat, T.; Saleh, N.; Sirk, K.; Kim, H.-J.; Tilton, R.D.; Lowry, G.V. (2008): Stabilization of aqueous nanoscale zerovalent iron dispersions by anionic polyelectrolytes: adsorbed anionic polyelectrolyte layer properties and their effect on aggregation and sedimentation. *J. Nanopart. Res.* 2008, 10, 795 – 814.
- Ramos, M.A.V.; Yan, W.; Li, X.; Koel, B.E.; Zhang W. (2009): Simultaneous Oxidation and Reduction of Arsenic by Zero-Valent Iron Nanoparticles: Understanding the Significance of the Core-Shell Structure. *J. Phys. Chem. C Lett.* 2009, 113, 14591 – 14594.
- Raychoudhury, T., Naja, G., Ghoshal, S., (2010): Assessment of transport of two polyelectrolyte-stabilized zero-valent iron nanoparticles in porous media. *Journal of Contaminant Hydrology* 118, 143-151.
- Royal Society and Royal Academy of Engineering (2004): Nanoscience and Nanotechnologies: Opportunities and Uncertainties: [www.nanotec.org.uk/report/Nano%20report%202004%20fin.pdf](http://www.nanotec.org.uk/report/Nano%20report%202004%20fin.pdf)
- Sadeghi, G.; Schijven, J.F.; Behrends, T.; Hassanizadeh, S.M.; Gerritse, J.; Kleingeld, P.J. (2011): Systematic Study of Effects of pH and Ionic Strength on Attachment of Phage PRD1. *Ground Water* 2011, 49(1), 12-19.
- Saleh, N., Kim, H.J., Phenrat, T., Matyjaszewski, K., Tilton, R.D., Lowry, G.V., (2008): Ionic strength and composition affect the mobility of surface-modified FeO nanoparticles in water-saturated sand columns. *Environmental Science and Technology* 42, 3349-3355.
- Saleh, N., Sirk, K., Liu, Y., Phenrat, T., Dufour, B., Matyjaszewski, K., Tilton, R.D., Lowry, G.V., (2007): Surface Modifications Enhance Nanoiron Transport and NAPL Targeting in Saturated Porous Media. *Environmental Engineering Science* 24, 45-57.
- Saleh, N.; Phenrat, T.; Sirk, K.; Dufour, B.; Ok, J.; Sarbu, T.; Matyjaszewski, K.; Tilton, R.D.; Lowry, G.V. (2005): Adsorbed Triblock Copolymer Deliver Reactive iron nanoparticles to the oil/water interface. *Nano Lett.* 2005, 5 (12), 2489 – 2494.
- Schijven, J.F., Hassanizadeh, S.M. (2000): Removal of viruses by soil passage: Overview of modeling, processes, and parameters. *Critical Reviews in Environmental Science and Technology* 30 (1), pp. 49-127
- Schijven, J.F.; Hassanizadeh, S.M.; de Bruin, R.H.A.M. (2002): Two-site kinetic modeling of bacteriophages transport through columns of saturated dune sand. *Journal of Contaminant Hydrology* 2002, 57(3-4), 259-279.
- Schrack, B., Hydutsky, B.W., Blough, J.L., Mallouk, T.E., (2004): Delivery Vehicles for Zerovalent Metal Nanoparticles in Soil and Groundwater. *Chemistry of Materials* 16, 2187-2193.
- Selwyn, J. (2007): A study of emerging markets in the environmental sector (2006): The EIC guide to the UK Environmental Industry 2007: [http://www.eic-guide.co.uk/docs/glbl\\_mar.pdf](http://www.eic-guide.co.uk/docs/glbl_mar.pdf)
- Sharma, V.K., (2000): Potassium ferrate(VI): Properties and applications, In: Specialty Chemicals in the Environment, ACS Symposium San Francisco 2000, Reprint of Extended Abstracts, Vol. 40, 2000, 131-132.
- Sharma, V.K.; Kazama, F.; Jiangyong, H.; Ray, A.K., (2005): Ferrates (iron(VI) and iron(V)): Environmentally friendly oxidants and disinfectants, *J. Water Health*, 3, 2005, 42-58.
- Song H, Carraway E (2005): Reduction of chlorinated ethanes by nanosized zero-valent iron: Kinetics, pathways, and effects of reaction conditions. *Environ. Sci. Technol.* 39: 6237-6245.
- Song, L.; Elimelech, M. (1993): Dynamics of Colloid Deposition in Porous-Media - Modeling the Role of Retained Particles. *Colloids and Surfaces a-Physicochemical and Engineering Aspects* 1993, 73, 49-63.
- Sposito, G., (1998):. On points of zero charge. *Environmental Science and Technology* 32, 2815-2819.
- Sun, Y.-P.; Li, X.-Q.; Zhang, W.-X.; Wang, H.P. (2007): A method for the preparation of stable dispersion of zero-valent iron nanoparticles. *Colloid Surface A.* 2007, 308, 60 – 66.

- Theron J, Walker JA, Cloete TE (2008): Nanotechnology and Water Treatment: Applications and Emerging Opportunities. *Crit. Rev. Microbiol.* 34: 43-69.
- Thullner, M.; Schroth, M.H.; Zeyer, J.; Kinzelbach, W. (2004): Modeling of a microbial growth experiment with bioclogging in a two-dimensional saturated porous media flow field. *Journal of Contaminant Hydrology* 2004, 70(1-2), 37-62.
- Tiraferrri, A., Sethi, R., (2009): Enhanced transport of zerovalent iron nanoparticles in saturated porous media by guar gum. *Journal of Nanoparticle Research* 11, 635-645.
- Tiraferrri, A.; Chen, K. L.; Sethi, R.; Elimelech, M. (2008): Reduced Aggregation and sedimentation of zero-valent iron nanoparticles in the presence of guar gum. *J. Colloid and Interf. Sci.* 2008, 324, 71 – 79.
- Tobler, N.B; Hofstetter,T.B.; Straub,K.L; Fontana,D.; Schwarzenbach, R.P. (2007): Iron-Mediated Microbial Oxidation and Abiotic Reduction of Organic Contaminants under Anoxic Conditions, *Environ. Sci. Technol.*, 41, 2007, 765–7772.
- Tosco, T.; Sethi, R. (2010): Transport of non-Newtonian micro- and nanoiron dispersions in porous media: a modeling approach. *Environmental Science & Technology* (in preparation) 2010.
- Tosco, T.; Tiraferrri, A.; Sethi, R. (2009): Ionic Strength Dependent Transport of Microparticles in Saturated Porous Media: Modeling Mobilization and Immobilization Phenomena under Transient Chemical Conditions. *Environmental Science & Technology* 2009, 43(12), 4425-4431.
- Tratnyek PG, Johnson RL (2006): Nanotechnologies for environmental cleanup. *Nano Today* 1: 44-48.
- U.S. International Trade Commission (2004): Remediation and Nature and Landscape Protection Services: An Examination of U.S. and Foreign Markets. Investigation No. 332-454. October 2004. Publication 3727: [www.usitc.gov/publications/docs/pubs/332/pub3727.pdf](http://www.usitc.gov/publications/docs/pubs/332/pub3727.pdf)
- von Canstein, H.; Ogawa,J.; Shimizu,S.; Lloyd, J.R., (2008): Secretion of Flavins by Shewanella Species and Their Role in Extracellular Electron Transfer, *Appl. Environ. Microbiol.* 74, 2008, 615–623.
- von der Kammer, F., Ottofuelling, S., and Hofmann, T. (2010): Assessment of the physico-chemical behavior of titanium dioxide nanoparticles in aquatic environments using multi-dimensional parameter testing, *Environmental Pollution* 158 (12): 3472-3481.
- Wang, W.; Thou, M.; Jin, Z.; Li, T. (2009): Reactivity characteristics of poly(methyl methacrylate) coated nanoscale iron particles for trichloroethylene remediation. *J. Hazard. Mater.* 2009.
- Witters, N., Van Slycken, S., Ruttens, A., Adriaensen, K., Meers, E., Meiresonne, L, Vangronsveld, J.,Tack, F.M.G., Thewys, T., Laes, E. (2009): Short Rotation Coppice of willow for phyto-remediation of a metal-contaminated agricultural area: a sustainability assessment. *BioEnergy Research*, 2, 144-152.
- Yang, G. C. C.; Tu, H.-C.; Hung, C.-H. (2007): Stability of nanoiron slurries and their transport in the subsurface environment. *Sep. Purif. Technol.* 2007, 58, 166 – 172.
- Zhan, J., Zheng, T., Piringer, G., Day, C., McPherson, G.L., Lu, Y., Papadopoulos, K., John, V.T., (2008): Transport Characteristics of Nanoscale Functional Zerovalent Iron/Silica Composites for in Situ Remediation of Trichloroethylene. *Environmental Science & Technology* 42, 8871-8876.
- Zhang W (2003): Nanoscale iron particles for environmental remediation: An overview. *J. Nanopart. Res.* 5: 323-332.